

**TOWAMENCIN TOWNSHIP**

1090 Troxel Road, Lansdale, PA 19446

Phone: (215) 368-7602

Fax: (215) 368-7650

[permits@towamencin.org](mailto:permits@towamencin.org) (no application submissions via email)

**PERMIT: ROOFING AND SIDING REPLACEMENT**

Single Family Homes & Multi-Family Buildings

Date: \_\_\_\_\_

Contractor: \_\_\_\_\_

Address of Worksite: \_\_\_\_\_

Address: \_\_\_\_\_

Development Name: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Owner Name: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Address: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Phone No.: \_\_\_\_\_

PA License No: \_\_\_\_\_

Contractor Signature: \_\_\_\_\_

WORK IS:  Roofing  Siding

Estimated Cost: \$ \_\_\_\_\_

**INSPECTION REQUIRED - FINAL**

Type of Rated Separation:  Masonry  Rated Assembly  Other

**NOTE: At least 24 hours notice is required for all inspections**

Construction Type: \_\_\_\_\_

Total Number of Rated Wall and or Floor Separations per Building: \_\_\_\_\_

Applicant certifies that all information given is correct and that all pertinent Township ordinances will be complied with in performing the work for which this permit is issued.

Permit No.: \_\_\_\_\_

Signature of Applicant \_\_\_\_\_

Date Issued: \_\_\_\_\_

Signature of Code Enforcement Officer \_\_\_\_\_

Fee Paid: \_\_\_\_\_

**Please provide the following information with your application:**

1. Residential

- a. Compliance with the 2015 International Residential Code.
- b. Slope of Roof.
- c. Type of underlayment with catalog spec sheet.
- d. Type of roofing material with catalog spec sheet.
- e. Flashing material
- f. Ice barrier shall extend 24 inches minimum inside the exterior wall line at the lowest roof edges.

2. Commercial

- a. Compliance with the 2015 International Building Code.
- b. Slope of Roof.
- c. Type of underlayment with catalog spec sheet.
- d. Type of roofing material with catalog spec sheet.
- e. Type of roof insulation material with catalog spec sheet.
- f. Flashing material.
- g. Fire classification.
- h. Ice barrier shall extend 24 inches minimum inside the exterior wall line at the lowest roof edges.